


# Destete a corral (Machos)

Variable	2008	2009	2010	2011	2012	2013	2014	2015	2016
<i>Terneros inicio</i>	744	378					770	595	795
<i>Terneros fin</i>	732	355	561	736	450	670	688	542	723
<i>% retiros</i>	1.6%	6.1%					10.6%	8.9%	9.1%
<i>Fecha inicio</i>					01/05/2012	03/05/2013	29/04/2014	11/05/2015	03/05/2016
<i>Peso inicio</i>	170	129	121	190	200	173	172	170	177
<i>Fecha final</i>					05/09/2012	20/08/2013	29/08/2014	03/09/2015	31/08/2016
<i>Peso final</i>	226	195	180	175	300	249	304	314	297
<i>Aumento de peso</i>	56	66	59	0.15	100	76	132	144	120
<i>Período</i>	105	120	109	120	127	109	122	115	120
<i>GMD</i>	0.53	0.55	0.4	-0.12	0.786	0.699	1.082	1.252	1.000
<i>Consumo suplemento MS</i>	5.51	4.5	5.2		5.88	3.29	5.82	5.76	4.51
<i>Consumo pastura MS</i>	0	0	0		0	3.74	0	0	0
<i>Consumo MS</i>	5.51	4.5	5.2		5.88	7.03	5.82	5.76	4.51
<i>Ef Conversión</i>	10.4	8.2	13		7.5	10.1	5.4	4.6	4.5
<i>Sistema alimentación</i>	Encierre	Encierre	Encierre	Campo natural	Encierre	Pastura + suplemento	Encierre	Encierre	Encierre


## Evolución de la GMD y la EC



# Suplementación de Hembras

Variable	2008	2009	2010	2011	2012	2013	2014	2015	2016
<i>Terminos fin</i>		623	580	640	620	550	565	449	518
<i>Fecha inicio</i>					01/05/2012	05/05/2013	29/04/2014	14/05/2015	11/05/2016
<i>Peso inicio</i>		154	121	190	200	167	179	175	182
<i>Fecha final</i>					30/08/2012	20/08/2013	17/09/2014	05/11/2015	20/10/2016
<i>Peso final</i>		206	180	277	306	284	283	341	295
<i>Aumento de peso</i>		52	59	87	106	117	104	166	113.4
<i>Periodo</i>		120	109	103	121	107	141	175	162
<i>GMD</i>		0.43	0.4	0.85	0.878	1.093	0.738	0.949	0.700
<i>Consumo suplemento MS</i>		5.04	5.2	5.14	5.97	5.83	3.94	3.12	3.45
<i>Consumo pastura MS</i>		0	0	0	0	0	3.2	3.71	3.16
<i>Consumo MS</i>		5.04	5.2	5.14	5.97	5.83	7.14	6.83	6.61
<i>Ef Conversión</i>		11.7	13	6.07	6.8	5.3	9.7	7.2	9.4
<i>Sistema alimentación</i>	Campo natural	Encierre	Encierre	Encierre	Encierre	Encierre	Pastura + suplemento	Pastura + suplemento	Pastura + suplemento


## Evolución de la GMD y la EC



# Evolución corral 481

	2013	1° - 2014	2° - 2014	1° - 2015	2° - 2015	1° - 2016	
Variable	1	2	3	4	5	6	TOTAL
<i>Novillos inicio</i>	300	328	317	400	414	450	368
<i>Novillos final</i>	299	328	316	396	410	447	366
<i>% mortandad</i>	0.3%	0.0%	0.3%	1.0%	1.0%	0.9%	0.6%
<i>Peso inicio</i>	405	422	378	403	321	416	386
<i>Peso final</i>	570	572	528	568	550	577.616	558
<i>Aumento de peso</i>	165	150	150	165	229	161.616	172
<i>Período</i>	117	110	106	101	112	111.0	109
<i>GMD</i>	1.427	1.364	1.418	1.638	2.045	1.5	1.578
<i>Consumo MS</i>	14.02	10.59	11.67	12.02	12.11	11.1	12.08
<i>Consumo %PV</i>	2.9%	2.1%	2.6%	2.5%	2.8%	0.0	2.6%
<i>Ef Conversión</i>	9.8	7.8	8.2	7.3	5.9	7.6	7.7
<i>Destare</i>	4.35%	6.12%	6.06%	5.33%	5.45%	0.0	5.46%
<i>Peso planta</i>	545	537	496	538	520	549.4	527
<i>Rendimiento</i>	55.33%	55.90%	55.58%	54.66%	55.63%	0.6	55.42%
<i>Peso carcasa</i>	302	300	276	294	289	309.4	292

## Evolución de la GMD y la EC





# Muchas Gracias !!!

Dr. Patricio León

[pleon@nutral.com.uy](mailto:pleon@nutral.com.uy)

099.915.211

